

SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1 Product Identifier	Mercodia Iso-Insulin ELISA 10-1128-01
	- ^{A)} 20-2701 Coated plate
	- ^{B)} 20-2707 Enzyme Conjugate 11x 0.6 mL
	- ^{C)} 20-2708 Enzyme Conjugate Buffer 6 mL
	- ^{D)} 20-2702 Calibrator 0 5 mL
	- ^{E)} 20-2703-20-2706 Calibrator 1- 4 1 mL
	- F)20-2629 Substrate TMB 22 mL
	- ^{G)} 20-6746 Wash Buffer 21X 50 mL
	- ^{H)} 20-2693 Stop Solution 7 mL
1.2 Relevant identified use of	the substance or mixture and uses advised against
	The test provides a method for determination of Insulin in
	human serum or plasma.
1.3 Details of the supplier of	
	Mercodia AB
	Sylveniusgatan 8A
	754 50 UPPSALA, SWEDEN
	tel: $+46(0)$ 18-57 00 70
	fax: +46 (0) 18-57 00 80
1 4 E	e-mail: $info@mercodia.se$
1.4 Emergency telephone	tel: +46 (0) 18-57 00 70
SECTION 2: Hazards identi	fication
2 1a Classification of the sub	stance or mixture (Sulphuric acid)
2.1a Classification of the sub	stance or mixture (Sulphuric acid)
	Included in solution ^{H)}
2.1a Classification of the sub OSHA/HCS status:	Included in solution ^{H)} This material is considered hazardous by the OSHA Hazard
	Included in solution ^{H)} This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	Included in solution ^{H)} This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). H315 SKIN IRRITATION - Category 2
OSHA/HCS status:	Included in solution ^{H)} This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). H315 SKIN IRRITATION - Category 2 H318 SERIOUS EYE DAMAGE - Category 1
	Included in solution ^{H)} This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). H315 SKIN IRRITATION - Category 2 H318 SERIOUS EYE DAMAGE - Category 1
OSHA/HCS status:	Included in solution ^{H)} This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). H315 SKIN IRRITATION - Category 2 H318 SERIOUS EYE DAMAGE - Category 1
OSHA/HCS status:	Included in solution ^{H)} This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). H315 SKIN IRRITATION - Category 2 H318 SERIOUS EYE DAMAGE - Category 1
OSHA/HCS status:	Included in solution ^{H)} This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). H315 SKIN IRRITATION - Category 2 H318 SERIOUS EYE DAMAGE - Category 1
OSHA/HCS status:	Included in solution ^{H)} This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). H315 SKIN IRRITATION - Category 2 H318 SERIOUS EYE DAMAGE - Category 1
OSHA/HCS status: 2.2a Label elements (Sulphu	Included in solution ^{H)} This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). H315 SKIN IRRITATION - Category 2 H318 SERIOUS EYE DAMAGE - Category 1 ric acid)
OSHA/HCS status: 2.2a Label elements (Sulphu Signal word:	Included in solution ^{H)} This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). H315 SKIN IRRITATION - Category 2 H318 SERIOUS EYE DAMAGE - Category 1 ric acid) Danger
OSHA/HCS status: 2.2a Label elements (Sulphu	Included in solution ^{H)} This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). H315 SKIN IRRITATION - Category 2 H318 SERIOUS EYE DAMAGE - Category 1 ric acid) Danger H318 - Causes serious eye damage.
OSHA/HCS status: 2.2a Label elements (Sulphu Signal word:	Included in solution ^{H)} This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). H315 SKIN IRRITATION - Category 2 H318 SERIOUS EYE DAMAGE - Category 1 ric acid) Danger
OSHA/HCS status: 2.2a Label elements (Sulphur Signal word: Hazard statements:	Included in solution ^{H)} This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). H315 SKIN IRRITATION - Category 2 H318 SERIOUS EYE DAMAGE - Category 1 ric acid) Danger H318 - Causes serious eye damage.
OSHA/HCS status: 2.2a Label elements (Sulphu Signal word:	Included in solution ^{H)} This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). H315 SKIN IRRITATION - Category 2 H318 SERIOUS EYE DAMAGE - Category 1 ric acid) Danger H318 - Causes serious eye damage.



P264 - Wash hands thoroughly after handling.
P302 + P352 + P362+P364 - IF ON SKIN: Wash with plenty
of soap and water. Take off contaminated clothing and wash
it before reuse.
P332 + P313 - If skin irritation occurs: Get medical attention.
P305 + P351 + P338 + P310 - IF IN EYES: Rinse cautiously
with water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or physician.
Not applicable
Not applicable
ostance or mixture (Kathon CG)
Included in solutions ^{C)} , ^{D)} ^{E)} and ^{G)}
H317 skin sensitization - Category 1
See Section 16 for the full text of the H statements declared
above.
See Section 11 for more detailed information on health effects
and symptoms.
LCG)
Warning
H317 – May cause an allergic skin reaction
P280 – Wear protective gloves.
P261 - Avoid breathing vapour.
P272 - Contaminated work clothing should not be allowed
out of the workplace.
P302 + P352 - if on skin: Wash with plenty of soap and
water.
P333 + P313 - If skin irritation or rash occurs: Get medical
attention.
Not applicable.
P501 - Dispose of contents and container in accordance with
all local, regional, national and international regulations.
5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]
and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)
Not applicable
ents
Not applicable



2.3 Other hazards	None known	
SECTION 3: Composition / i	nformation on ingredie	nts
3.2 Mixtures Hazardous ingredients:		
Sulphuric acid ¹⁾ Index-No: 016-020-00-8 CAS-No: 7664-93-9 EC-No: 231-639-5	Conc % 1-5	Classification ²⁾ Skin Corrosion 1A; H314
Kathon CG ³⁾ Index-No: 613-167-00-5 CAS-No: 55965-84-9 EC-No: -	Conc % 0.15 ³⁾	Classification ²⁾ Acute Toxicity 3; H331 Acute Toxicity 3; H311 Acute Toxicity 3; H301 Skin Corrosion 1B; H314 Skin Sensitisation 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410
 precautionary statements i 3) Included in solutions ^(C), ^(D) Kathon CG is a mixture of 4-isothiazolin-3-one (EG-1239-6), in a mixture with the statement of the st	n section 16. , ^{E)} and ^{G)} . f substances where two o nr 247-500-7) and 2-meth the proportion 3:1 has a C is 1.5 w-% which gives the	scription of Hazard statements and f the components, 5-chloro-2-methyl- nyl-2H-isothiazol-3-one (EG-nr 220- CAS No 55965-84-9. The content of this the content of 0.0023 w-% of the
SECTION 4: First aid measu	ires	
 4.1 Description of first aid m Inhalation: Skin contact: Eye contact: Ingestion: 	Breathe fresh air and re Remove contaminated soap and water. Rinse immediately with 15 minutes with the eye symptoms persist. Rinse mouth and throat	est. If breathing is difficult, give oxygen. clothing. Wash the affected area with n copious amount of water for at least elid held wide open. Consult a doctor if t with water. Consult a doctor if er give anything to drink / eat to an



120 Most important sympto	ms and affasts both souts and delayed
Potential acute health effects	ms and effects, both acute and delayed
	-
Eye contact: Inhalation:	Causes serious eye damage
Skin contact:	No known significant effects or critical hazards Causes skin irritation
Ingestion:	No known significant effects or critical hazards
	oms and effects, both acute and delayed
Potential acute health effects	s (Kathon CG)
Eye contact:	No known significant effects or critical hazards
Inhalation:	No known significant effects or critical hazards
Skin contact:	May cause an allergic skin reaction
Ingestion:	No known significant effects or critical hazards
4.3 Indication of any immed	iate medical attention and special treatment needed
Notes to physician:	Treat symptomatically. Contact poison treatment specialist
rotes to physician.	immediately if large quantities have been ingested or inhaled.
Spacific treatments:	No specific treatment.
Specific treatments:	No specific treatment.
SECTION 5: Fire-fighting n	neasures
5 1 Entinemishing modio	
5.1 Extinguishing media	Water earlier diavide neurolar from
5.2 Special hazanda aniaina f	Water, carbon dioxide, powder, foam.
5.2 Special nazards arising I	rom the substance or mixture
	Decomposition products may include the following materials:
	carbon dioxide, carbon monoxide and sulphur oxide
5.3 Advice for firefighters	
	No action shall be taken involving any personal risk or without
	suitable training.
SECTION 6: Accidental rele	ease measures
6.1 Personal precautions, pr	otective equipment and emergency procedures
	See "Precautions for safe handling", section 7.1 and "Exposure
	controls" section 8.2.
6.2 Environmental precaution	ons
	Avoid dispersal of spilled material and runoff and contact with
	soil, waterways, drains and sewers.
6.3 Methods and material fo	r containment and cleaning up
	Clean up with absorbent paper and dispose of in a sealed
	container.
6.4 Reference to other sectio	
	See Section 1 for emergency contact information.
	See Section 8 for information on appropriate personal
	protective equipment.
	For current waste regulations, see section 13.
	r or current waste regulations, see section 15.



8). Ensur comp 7.2 Conditions for safe storage, inclu Keep freezi 7.3 Specific end use(s)	container tightly closed and at 2-8°C. Keep from ing. ^{F)} Protect from light. strial applications. Professional applications.
Put or 8). Ensur comp 7.2 Conditions for safe storage, inclu Keep freezi 7.3 Specific end use(s) Indus	re good ventilation. Direct physical contact with all conents in this product should be avoided. uding any incompabilities container tightly closed and at 2-8°C. Keep from ing. ^{F)} Protect from light.
8). Ensur comp 7.2 Conditions for safe storage, inclu Keep freezi 7.3 Specific end use(s) Indus	re good ventilation. Direct physical contact with all conents in this product should be avoided. uding any incompabilities container tightly closed and at 2-8°C. Keep from ing. ^{F)} Protect from light.
Ensur comp 7.2 Conditions for safe storage, inclu Keep freezi 7.3 Specific end use(s) Indus	onents in this product should be avoided. uding any incompabilities container tightly closed and at 2-8°C. Keep from ing. ^{F)} Protect from light. strial applications. Professional applications.
comp 7.2 Conditions for safe storage, inclu Keep freezi 7.3 Specific end use(s) Indus	onents in this product should be avoided. uding any incompabilities container tightly closed and at 2-8°C. Keep from ing. ^{F)} Protect from light. strial applications. Professional applications.
 7.2 Conditions for safe storage, inclu Keep freezi 7.3 Specific end use(s) Indus 	uding any incompabilities container tightly closed and at 2-8°C. Keep from ing. ^{F)} Protect from light. atrial applications. Professional applications.
Keep freezi 7.3 Specific end use(s) Indus	container tightly closed and at 2-8°C. Keep from ing. ^{F)} Protect from light. strial applications. Professional applications.
7.3 Specific end use(s) Indus	ing. ^{F)} Protect from light.
7.3 Specific end use(s) Indus	strial applications. Professional applications.
Indus	
SECTION 8: Exposure control/pers	sonal protection
SECTION 8: Exposure control/pers	sonal protection
8.1 Control parameters	
Occupational exposure Limits exists for	for the following substances:
Substance Limit value – Ei	ight hours Limit value – Short term
	•
(Unit) ppm m	ng/m ³ ppm mg/m ³
^{H)} Sulphuric acid - 0,	.05 – 1* – 0,1 – 3*
*see current national legislation for de	etails.
8.2 Exposure controls	
-	re good ventilation. Avoid, if possible, direct contact with
	roduct. An emergency shower and/or an eye bath
	d be available in the workplace.
	oplicable for the mixture.
0 0 1	hemical safety goggles where splashing is possible.
Skin protection	
	ical resistant gloves (butyl rubber, PE or PVC) may be
-	if risk of direct contact may occur.
	d on the hazard and potential for exposure, select a
	rator that meets the appropriate standard or certification.
-	known
Environmental exposure	
-	sions from ventilation or work process equipment should
be ch	necked to ensure they comply with the requirements of ronmental protection legislation



Mercodia Iso-Insulin ELISA

SECTION 9: Physical and chemical properties

9.1 Information on basic phys	
Appearance:	B), C), D), E), F), G), and H) Liquid, A) Solid
Colour:	^{B), F), G) and H)} Colourless ^{C)} Blue and ^{D), E)} Yellow.
Odour:	Odourless
Odour threshold:	Not available.
pH:	^{B), C), D), E) and G)} appr. 7 ^{F)} appr. 4 and ^{H)} appr. 0.5
Melting point/Freezing point:	
Initial boiling point and	
boiling range:	Approximately 100 °C
Flash Point (°C)	Not available.
Evaporation rate:	Not available.
Flammability (solid, gas):	Not available.
Upper/lower flammability	
or explosive limits:	Not available.
Vapour pressure:	Not available.
Vapour density:	Not available.
Relative Density (g/cm ³)	B), C), D), E), F), G) and H) appr. 1
Solubility (ies):	Soluble in water
Partition coefficient;	
N-octanol/water:	Not available.
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
Viscosity:	Not available.
Explosive properties:	Not available.
Oxidising properties:	Not available.
9.2 Other information	
	No additional information.



Mercodia Iso-Insulin ELISA

SECTION 10: Stability and reactivity

10.1 Reactivity	No specific test data related to reactivity available for this product or its ingredients
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of	
hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur
10.4 Conditions to avoid	No specific data
10.5a Incompatible materials	
(Sulphuric acid)	Attacks many metals producing extremely flammable hydrogen gas which can form explosive mixtures with air. Reactive or incompatible with the following materials: alkalis
10.5b Incompatible materials	
(Kathon CG)	May react or be incompatible with oxidizing materials.
10.6 Hazardous decomposition	n
products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Irritation Sensitization	Sulphuric acid, LD50 Oral, Rat, Dose 2140 mg/kg 5-chloro-2-methyl-4-isothiazolin-3-one (EG-nr 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG-nr 220-239-6), in a mixture with the proportion 3:1, LD50 Oral, Rat, Dose 53 mg/kg Sulphuric acid, Eyes – Severe irritant, Rabbit, Exposure 250 Micrograms Sulphuric acid, Eyes – Severe irritant, Rabbit, 0.5 minutes 5 milligrams. 5-chloro-2-methyl-4-isothiazolin-3-one (EG-nr 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG-nr 220-239-6), in a mixture with the proportion 3:1. Not available. Sulphuric acid, Not available. 5-chloro-2-methyl-4-isothiazolin-3-one (EG-nr 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG-nr 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG-nr 247-500-7) and
Repeated dose toxicity	with the proportion 3:1, Possible risk for allergic reaction may occur. Not available.
Carcinogenicity	Not available.
Mutagenicity	Not available.
Toxicity for reproduction	Not available.
Potential acute health effects	Sulphuric acid
Eye contact	Causes serious eye damage.
Inhalation	No known significant effects or critical hazards.



Skin contact	Causes skin irritation.
Ingestion	No known significant effects or critical hazards.
Potential acute health effects	6
	and 2-methyl-2H-isothiazol-3-one (EG-nr 220-239-6), in a
	mixture with the proportion 3:1.
Eye contact	No known significant effects or critical hazards.
Inhalation	
	No known significant effects or critical hazards.
Skin contact	May cause an allergic skin reaction.
Ingestion	No known significant effects or critical hazards.
SECTION 12: Ecological info	ormation
12.1 Toxicity	
U U	^{H)} Sulphuric acid 96%:
	LC ₅₀ (fish, 96h) 42 mg/L (mosquito fish)
	EC_{50} (daphnia, 48h) >29 mg/L
12.2 Persistence and degrada	
12.2 I ersistence and degrada	Not available.
	^{H)} is being proteolysed to H ⁺ and SO_4^{2-} .
12.2 Dia a comunicationa estarati	
12.3 Bioaccumulative potenti	
	Not available.
12.4 Mobility in soil	NY
	Not available.
12.5 Results of PBT and vPvl	
	Not applicable.
12.6 Other adverse effects	
	No known significant effects or critical hazards.
	No known significant critects of critical nazards.
SECTION 13: Disposal consi	C C
SECTION 13: Disposal consi	derations
13.1 Waste treatment method	derations
_	derations ls Discarded product (incl. Contaminated packaging) and related
13.1 Waste treatment method	derations ls Discarded product (incl. Contaminated packaging) and related waste is not hazardous waste acc. to current waste legislation.
13.1 Waste treatment method	derations ls Discarded product (incl. Contaminated packaging) and related
13.1 Waste treatment method	derations ls Discarded product (incl. Contaminated packaging) and related waste is not hazardous waste acc. to current waste legislation. For disposal contact approved waste Management Company.
13.1 Waste treatment method	derations ls Discarded product (incl. Contaminated packaging) and related waste is not hazardous waste acc. to current waste legislation. For disposal contact approved waste Management Company.
13.1 Waste treatment method	derations derations Is Discarded product (incl. Contaminated packaging) and related waste is not hazardous waste acc. to current waste legislation. For disposal contact approved waste Management Company. Requirements for certain permission exists – see current waste legislation.
13.1 Waste treatment method	derations Is Discarded product (incl. Contaminated packaging) and related waste is not hazardous waste acc. to current waste legislation. For disposal contact approved waste Management Company. Requirements for certain permission exists – see current waste legislation. Propose EWC-code: 18 01 07 Wastes from natural care,
13.1 Waste treatment method	derations Is Discarded product (incl. Contaminated packaging) and related waste is not hazardous waste acc. to current waste legislation. For disposal contact approved waste Management Company. Requirements for certain permission exists – see current waste legislation. Propose EWC-code: 18 01 07 Wastes from natural care, diagnosis, treatment or prevention of disease in humans,
13.1 Waste treatment method	derations Is Discarded product (incl. Contaminated packaging) and related waste is not hazardous waste acc. to current waste legislation. For disposal contact approved waste Management Company. Requirements for certain permission exists – see current waste legislation. Propose EWC-code: 18 01 07 Wastes from natural care, diagnosis, treatment or prevention of disease in humans, chemicals other than those mentioned in 18 01 06.
13.1 Waste treatment method	derations Is Discarded product (incl. Contaminated packaging) and related waste is not hazardous waste acc. to current waste legislation. For disposal contact approved waste Management Company. Requirements for certain permission exists – see current waste legislation. Propose EWC-code: 18 01 07 Wastes from natural care, diagnosis, treatment or prevention of disease in humans, chemicals other than those mentioned in 18 01 06. Note! In used kit there might be a plastic plate with rests of
13.1 Waste treatment method	derations Is Discarded product (incl. Contaminated packaging) and related waste is not hazardous waste acc. to current waste legislation. For disposal contact approved waste Management Company. Requirements for certain permission exists – see current waste legislation. Propose EWC-code: 18 01 07 Wastes from natural care, diagnosis, treatment or prevention of disease in humans, chemicals other than those mentioned in 18 01 06. Note! In used kit there might be a plastic plate with rests of blood which can be allotted an EWC-code 18 01 03 Wastes
13.1 Waste treatment method	derations Is Discarded product (incl. Contaminated packaging) and related waste is not hazardous waste acc. to current waste legislation. For disposal contact approved waste Management Company. Requirements for certain permission exists – see current waste legislation. Propose EWC-code: 18 01 07 Wastes from natural care, diagnosis, treatment or prevention of disease in humans, chemicals other than those mentioned in 18 01 06. Note! In used kit there might be a plastic plate with rests of blood which can be allotted an EWC-code 18 01 03 Wastes from natural care, diagnosis, treatment on prevention of
13.1 Waste treatment method	derations Is Discarded product (incl. Contaminated packaging) and related waste is not hazardous waste acc. to current waste legislation. For disposal contact approved waste Management Company. Requirements for certain permission exists – see current waste legislation. Propose EWC-code: 18 01 07 Wastes from natural care, diagnosis, treatment or prevention of disease in humans, chemicals other than those mentioned in 18 01 06. Note! In used kit there might be a plastic plate with rests of blood which can be allotted an EWC-code 18 01 03 Wastes from natural care, diagnosis, treatment on prevention of disease in humans, waste whose collection and disposal is
13.1 Waste treatment method	derations Is Discarded product (incl. Contaminated packaging) and related waste is not hazardous waste acc. to current waste legislation. For disposal contact approved waste Management Company. Requirements for certain permission exists – see current waste legislation. Propose EWC-code: 18 01 07 Wastes from natural care, diagnosis, treatment or prevention of disease in humans, chemicals other than those mentioned in 18 01 06. Note! In used kit there might be a plastic plate with rests of blood which can be allotted an EWC-code 18 01 03 Wastes from natural care, diagnosis, treatment on prevention of



Packaging:	
Methods of disposal: Special precautions:	The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product
	residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
SECTION 14: Transport inf	ormation
Descriptory informedian	
Regulatory information ADR/RID / IMDG / IATA 14.6 Special precautions	Not regulated
for user	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
14.7 Transport in bulk accor	ding to Annex II of MARPOL and the IBC code Not available.
SECTION 15: Regulatory in	formation
mixture	 onmental regulations/legislation specific for the substance or 7/2006 (REACH) Annex XIV - List of substances subject to None of the components are listed
	1
Substances of very high conc	-
Substances of very high conc	-
Substances of very high conc National inventory:	erns
	erns None of the components are listed United States: All components are listed or exempted.
National inventory:	erns None of the components are listed United States: All components are listed or exempted. nent This product contains substances for which Chemical Safety Assessments might still be required.



Mercodia Iso-Insulin ELISA

Key literature	e references and sources for data:
	(EC) 1272/2008, Supplier's SDS
List of hazard	l statements and precautionary statements:
H331	= Toxic if inhaled.
H311	= Toxic in contact with skin.
H301	= Toxic if swallowed.
H314	= Causes severe skin burns and eye damage.
H317	= May cause an allergic skin reaction.
H400	= Very toxic to aquatic life.
H410	= Very toxic to aquatic life with long lasting effects.
Skin Corr. 1A	A, H314 = SKIN CORROSION/IRRITATION - Category 1A
The above inf	formation is believed to be correct and may not be all conclusive: however, it

The above information is believed to be correct and may not be all conclusive; however, it should only be used as a guide. Mercodia AB or Mercodia Inc. shall not be held liable for any damage resulting from handling or contact with the above product.