


Certificate of Analysis

1. Manufacturer

Merckodia AB, Sylveniusgatan 8A, 754 50 Uppsala, SWEDEN

2. Description

Catalog no: 10-1250-10
 Product: Merckodia Rat Insulin ELISA
 Lot no: 37344
 Expiry date: 2027-07-31



<i>Component</i>		<i>Art no</i>	<i>Lot no</i>	<i>O.D. 450 nm</i>	<i>Exp. date</i>
Calibrator 0		20-3082	36153	0,058	2027-08-23
Calibrator 0,159	µg/L	20-3116	36148	0,071	2027-08-28
Calibrator 0,437	µg/L	20-3117	36149	0,110	2027-08-28
Calibrator 1,07	µg/L	20-3118	36150	0,305	2027-08-28
Calibrator 3,24	µg/L	20-3119	36151	1,376	2027-08-28
Calibrator 5,31	µg/L	20-3120	36152	2,772	2027-08-28
Coated Plate		20-3193	36146		2029-10-28
Enzyme Conjugate 11X		20-3085	36157		2027-10-01
Enzyme Conjugate Buffer		20-3090	36155		2027-08-28
Wash Buffer 21X		20-3194	37145		2033-03-04
Substrate TMB		20-3136	36451		2029-05-31
Stop Solution		20-2694	36685		2032-05-13

3. Quality control

Quality control has been performed for lot no 37344 according to standard operating procedures at Mercodia AB, and the product is released based on fulfillment of established acceptance criteria.

4. Calibration

The Mercodia Rat Insulin ELISA is calibrated against an in-house reference preparation of rat insulin.

5. Assay method

Test procedure used is according to current Direction for Use for the product and lot.

6. Intended use

Mercodia Rat Insulin ELISA provides a method for the quantitative determination of rat insulin in serum or plasma.

7. Storage and handling

Recommended storage of kit is 2-8°C.

Storage of unused or diluted kit components is stated in the Direction for Use.

8. Hazardous information

Please refer to the Material Safety Data Sheet for hazard identification.

9. Quality standard documentation

The Mercodia Quality System fulfills the QSR and the requirements for the European CE mark, the Directive 98/79/CE on *in vitro* diagnostic medical devices. Mercodia is ISO 13485 certified, for compliance with the International Quality Management System for medical devices.

10. Names and signatures of certifying officers


Date of analysis:

2025-05-28

Performed by:

Mattias H

Signature:



Date of approval:

2026-06-29

Approved by:

Jonas Krick

Signature:

