


Certificate of Analysis

1. Manufacturer

Mercodia AB, Sylveniusgatan 8A, 754 50 Uppsala, SWEDEN

2. Description

Catalog no: 10-1172-01
Product: Mercodia Rat C-peptide ELISA
Lot no: 37287
Expiry date: 2028-04-30



Component	Art no	Lot no	O.D. 450 nm	Exp. date
Calibrator 0	20-6373	37176	0,083	2029-05-05
Calibrator 109 pmol/L	20-6374	37177	0,126	2029-04-22
Calibrator 349 pmol/L	20-6375	37178	0,247	2029-04-22
Calibrator 1390 pmol/L	20-6376	37179	0,768	2029-04-22
Calibrator 2700 pmol/L	20-6377	37180	1,516	2029-04-22
Calibrator 4290 pmol/L	20-6378	37181	2,197	2029-04-22
Coated Plate	20-6407	37182		2029-04-20
Assay Buffer	20-6400	37183		2029-05-28
Enzyme Conjugate 11X	20-6403	37184		2028-05-26
Enzyme Conjugate Buffer	20-6405	37185		2029-05-06
Wash Buffer 21X	20-6746	37311		2033-06-18
Substrate TMB	20-2629	36313		2029-02-28
Stop Solution	20-2693	37299		2033-05-29

3. Quality control

Quality control has been performed for lot no 37287 according to standard operating procedures at Mercodia AB, and the product is released based on fulfillment of established acceptance criteria.

4. Calibration

The Mercodia Rat C-peptide ELISA is calibrated against an in-house reference preparation of rat c-peptide.

5. Assay method

Test procedure used is according to current Direction for Use for the product and lot.

6. Intended use

Mercodia Rat C-peptide ELISA provides a method for the quantitative determination of rat c-peptide in serum, plasma or cell cultures.

7. Storage and handling

Recommended storage of kit is 2-8°C.

Storage of unused or diluted kit components is stated in the Direction for Use.

8. Hazardous information

Please refer to the Material Safety Data Sheet for hazard identification.

9. Quality standard documentation

The Mercodia Quality System fulfills the QSR and the requirements for the European CE mark, the Directive 98/79/CE on *in vitro* diagnostic medical devices. Mercodia is ISO 13485 certified, for compliance with the International Quality Management System for medical devices.

10. Names and signatures of certifying officers

Date of analysis:

2026-09-07

Performed by:

Elin Westberg

Signature:

EW

Date of approval:

2026-09-07

Approved by:

Mattias Sale

Signature:

MS